



Question	Answers	Extra information	Mark	AO / Specification reference
01.1	top = ethane		1	AO1
	bottom = butane		1	4.7.1.1
01.2	C ₂₂ H ₄₆		1	AO2
				4.7.1.1
01.3	decane has a lower flammability, higher boiling point and higher viscosity		1	AO1
				4.7.1.3
02.1	Points plotted (5, 36) (6, 69) (7, 98) (8, 126) (10, 174) (11, 196) (12, 216)	one mark for four to six points correctly plotted two marks for all points correctly plotted one mark for line of best fit	3	AO2
02.2	153	allow number between 151 and 155	1	AO3
02.3	$C_9H_{20} + 14O_2 \rightarrow 9CO_2 + 10H_2O$	one mark for correct formula of nonane one mark for formulae of reactants one mark for formulae of products one mark for balancing	4	AO2 4.1.1.1
03.1	compounds in crude oil with a similar number of carbon atoms		1	AO1 4.7.1.2





Question	Answers	Extra information	Mark	AO / Specification reference
03.2	vapour moves up the column, cooling as moving up		1	AO1
	fractions condense when they reach the temperature of their boiling		1	4.7.1.2
	points			
	different fractions collected at different levels		1	
03.3	Level 3: The comparisons are detailed and accurate. The writing is clear,		5-6	AO1
	coherent and logical and comparisons are clearly made.			4.7.1.3
	Level 2: The comparisons are generally correct, although may lack detail.		3-4	4.7.1.5
	The writing is mainly clear, although the structure may lack logic and			
	comparisons are not always clear.			
	Level 1: Some comparisons are correct. The writing lacks clarity,		1-2	
	coherence and logic, and the comparisons are not clearly expressed.			
	No relevant content		0	
	Indicative content:			
	 both burn (completely) to make carbon dioxide and water 			
	 on burning, both release energy/transfer energy to the surroundings 			
	diesel boils at higher temperatures than petrol			
	diesel is more viscous than petrol			
	diesel is less flammable than petrol			
	diesel is more likely to have smoker/more sooty flame			
04.1	so that the liquid hydrocarbon forms vapour		1	AO2 4.7.1.4
04.2	delivery tube should not be in the liquid collected		1	AO3





Question	Answers	Extra information	Mark	AO / Specification reference
04.3	C_5H_{12}		1	AO2
	boiling point increases with molecule size		1	4.7.1.3
04.4	orange/brown to colourless		1	AO1 4.7.1.4
05.1	B is C ₂ H ₄ – bromine test shows it is an alkene		1	AO3
	C is C ₁₇ H ₃₆ – has highest boiling point so must have the biggest molecules		1	4.7.1.3
	D is C ₂ H ₆ – has lowest boiling point of the alkanes so has smallest molecules		1	4.7.1.4
	A is C_8H_{18} – intermediate boiling point of alkanes, and so intermediate size molecules		1	
05.2	С		1	AO3
				4.7.1.3
05.3	$C_{20}H_{42} \rightarrow C_8H_{18} + 4C_3H_6$		3	AO2
				4.7.1.4
06.1	hydrocarbons		1	AO1
				4.7.1.2
06.2	fractional distillation		1	AO1
	crude oil is vaporised and pumped into column		1	4.7.1.2
	temperature decreases as you go up column		1	
	groups of hydrocarbons of a similar number of carbon atoms condense at		1	
	their boiling point the fractions are tapped off		1	
	the nactions are tapped on		1	





Question	Answers	Extra information	Mark	AO / Specification reference
06.3	 one from: petroleum gas – fuel petrol – fuel (in engines) kerosene – fuel (in aircraft) heavy fuel oil/diesel oil – fuel (diesel engines) residue – making roads 	one mark for fraction and one mark for the corresponding use 'fuel' on its own is an acceptable answer for petroleum gas, petrol, kerosene and heavy fuel oil; however, if a particular machine is named, it must match the correct fraction	2	AO1 4.7.1.2
07.1	crude oil		1	AO1 4.7.1.1
07.2	$(6 \times 12) + (14 \times 1) = 86$		1	AO2 4.3.1.2
06.2	Level 3: The pattern is described correctly and the explanation is accurate. The writing is clear and coherent and the reasoning is logical.		5-6	AO1 – 2 AO3 – 4
	Level 2: The pattern is correctly described, and the explanation mainly accurate. The writing is mainly clear and coherent, but the reasoning lacks logic.		3-4	4.2.2.4
	Level 1: The pattern is described correctly. The writing lacks clarity and coherence. The reasoning is unclear.		1-2	
	No relevant comment.		0	





Question	Answers	Extra information	Mark	AO / Specification reference
	 Indicative content: alkanes consist of small molecules with weak intermolecular forces between the molecules boiling point decreases as intermolecular force strength decreases data in the table show that as the number of branches increases, boiling point decreases intermolecular bond strength decreases as branching increases 			
08.1	both require heat in catalytic cracking, the vapour is passed over a hot catalyst in steam cracking, the vapour is mixed with steam before heating		1 1 1	AO1 4.7.1.4
08.2	$C_{10}H_{22} \rightarrow C_6H_{14} + 2C_2H_4$		1	AO2 4.1.1.1
08.3	to make more smaller alkane molecules for fuels to make alkenes to produce polymers/other chemicals		1	AO1 4.7.1.4
09.1	$C_5H_{12} + 8O_2 \rightarrow 5CO_2 + 6H_2O$	one mark for formulae of reactants one mark for formulae of products one mark for balancing	3	AO2 4.1.1.1
09.2	per mole of C_5H_{12} complete combustion requires 8 moles of oxygen but incomplete combustion requires $\frac{11}{2}$ = 5.5 moles of oxygen so incomplete combustion occurs when there is not enough oxygen for complete combustion		1	AO3 4.7.1.3





Question	Answers	Extra information	Mark	AO / Specification reference
09.3	energy to break bonds in reactants = $(2 \times 348) + (8 \times 412) + (5 \times 496)$		1	AO1
	= 6472 energy to make bonds in products = $(6 \times 743) + (8 \times 463)$		1	4.5.1.3
	= 8162		1	
	energy change of reaction = 8162 - 6472 = 1690		1 1	
10.1	remains of ancient biomass/plankton		1	AO1
	that were buried in the mud			4.7.1.1
10.2	evaporation		1	AO1
	condensation		1	4.7.1.2
10.3	Level 3: Five or more correct uses are given. The writing is clear and coherent.		5-6	AO1 4.7.1.2
	Level 2: Three or four correct uses are given. The writing is reasonably clear, but not well-organised.		3-4	
	Level 1: One or two correct uses are given. The writing lacks clarity and organisation.		1-2	
	No relevant content.		0	
	Indicative content:			
	fuels, for example diesel, petrol, kerosene, liquefied petroleum gases			
	raw materials for solvents			
	raw materials for lubricants			
	raw materials for polymers			
	raw materials for detergents			





Question	Answers	Extra information	Mark	AO / Specification reference
11.1	reversible	allow description of reversible reaction	1	AO1 4.6.2.1
11.2	cooling (the mixture of ammonia and hydrogen chloride)		1	AO2 4.6.2.2
11.3	prevent escape of reactants and products		1	AO1 4.6.2.3
12.1	positive – bubbles of gas/swimming pool smell/green gas forming negative – small drops of silver-coloured metal		1 1	AO2 4.4.3.2
12.2	$Zn^{2+} + 2e^- \rightarrow Zn$	one mark for formulae of reactants one mark for formulae of products one mark for balancing	3	AO2 4.4.3.5
12.3	positive – chlorine negative - hydrogen		1 1	AO2 4.4.3.4
13.1	covalent bonds shared pairs of electrons between neighbouring atoms		1 1	AO1 4.2.1.4
13.2	intermolecular		1	AO1 4.2.2.4





Question	Answers	Extra information	Mark	AO / Specification reference
13.3	$C_7H_{16} + 11O_2 \rightarrow 7CO_2 + 8H_2O$ M_r of heptane = $(7 \times 12) + (1 \times 16) = 100$ $85.0 \text{ g of heptane} = \frac{85.0}{100} = 0.850 \text{ mol}$ from the equation, one mole of heptane makes seven moles of carbon dioxide so 0.850 mol of heptane makes $0.850 \times 7 = 5.95 \text{ mol}$ of CO_2		1 1 1	AO2