



Oxford Revise | Edexcel GCSE Maths Higher | Answers

Chapter 6 Linear graphs

Question	Answer	Extra information	Marks
6.1	$L_1 \text{ gradient} = \frac{2 - (-3)}{4 - (-1)} = \frac{5}{5} = 1$ $L_1 \text{ equation: } y = x - 2$ $L_2 \text{ equation: } y + 7 = 4(x + 2) \Rightarrow y = 4x + 1$ Equate the two: $x - 2 = 4x + 1$ $-3x = 3$ $x = -1$ Coordinates of T are $(-1, -3)$	Find equation for L_1 using the two points Find equation for L_2 using point and gradient Set the two line equations equal to each other Solve for x , and then substitute to find y -coordinate	1 1 1 1

Question	Answer	Extra information	Marks
6.2	 <p>A Cartesian coordinate system with x and y axes ranging from -5 to 5. A red line is drawn passing through the points (0, 5) and (5, 0). The line is labeled $x + y = 5$.</p>	<p>One correct point drawn Two correct points drawn Line passing through any two correct points</p>	<p>1 1 1</p>

Question	Answer	Extra information	Marks
6.3		One correct point drawn Two correct points drawn Line passing through any two correct points	1 1 1
6.4 (a)	gradient = 5, y -intercept = 1		1 1
6.4 (b)	gradient = -2 , y -intercept = 3		1 1
6.4 (c)	gradient = 0.5, y -intercept = 3		1 1
6.4 (d)	gradient = 1, y -intercept = 10		1 1

Question	Answer	Extra information	Marks
6.5	Passing through $(0, 5)$ means the y -intercept is 5 Parallel to the given line means the gradient is 4 Thus, the line is $y = 4x + 5$		1
6.6	Midpoint = $\left(\frac{2+4}{2}, \frac{6+7}{2}\right) = (3, 6.5)$	Method correct, or either 3 or 6.5 Fully correct	1 1
6.7 (a)	Find the gradient first: $m = \frac{3 - (-1)}{2 - 0} = 2$ Use the gradient and one of the points to find the equation: $y - 3 = 2(x - 2)$ $y = 2x - 1$		1 1 1
6.7 (b)	Find the gradient first: $m = \frac{1 - 5}{1 - (-3)} = -1$ Use the gradient and one of the points to find the equation: $y - 1 = -1(x - 1)$ $y = 2 - x$		1 1 1
6.8	$y = \frac{1}{2}x + 2$ is perpendicular to $y = -2x + 1$ $2x = 6 - 3y$ is perpendicular to $2y = 3x - 4$ $x + 2y - 1 = 0$ is perpendicular to $y - 2x = 0$ $y + x = \frac{1}{2}$ is perpendicular to $y = x - 2$	1 correct match 2 correct matches fully correct	1 1 1

Question	Answer	Extra information	Marks
6.9	$3x - 6y + 1 = 0$ $6y = 3x + 1$ $y = \frac{1}{2}x + \frac{1}{6}$ <p>Gradient of any line perpendicular to this line will be -2</p> <p>The equation will be $y = -2x + c$</p> <p>The point $(4, -2)$ is on this line, so:</p> $-2 = -2 \times 4 + c$ $c = 6$ <p>Equation of line: $y = -2x + 6$</p>	<p>Rearranging first equation to find gradient</p> <p>Obtaining the gradient of a line perpendicular</p> <p>Finding the value of the y-intercept</p> <p>Correct answer</p>	1 1 1 1
6.10	$2y + x = -1 \Rightarrow y = -\frac{1}{2}x - \frac{1}{2}$ $\Rightarrow m = -\frac{1}{2}$ <p>Gradient of perpendicular = 2</p> <p>Gradient of $AB = \frac{q-1}{p-2} = 2$</p> <p>Rearrange to get $q = 2p - 3$</p>	<p>Rearrange into form $y = mx + c$</p> <p>Obtain perpendicular gradient</p> <p>Method to find gradient of AB</p> <p>Suitable equation formed involving p and q</p> <p>Correct answer, with q as the subject</p>	1 1 1 1 1

Question	Answer	Extra information	Marks
6.11	<p>B has coordinates (3, 0)</p> $CO = \frac{1}{2}OB \Rightarrow C \text{ has coordinates } \left(-\frac{3}{2}, 0\right)$ <p>Length of CB = $3 + \frac{3}{2} = \frac{9}{2}$</p> $CB = \frac{4}{3}BA$ <p>Length of BA = $\frac{3}{4} \times \frac{9}{2} = \frac{27}{8}$</p> $\text{Gradient of } AC = \frac{\frac{-27}{8} - 0}{3 - \left(-\frac{3}{2}\right)} = -\frac{3}{4}$ <p>Using $y = mx + c$, with $m = -\frac{3}{4}$ and the point $\left(-\frac{3}{2}, 0\right)$ gives $c = -\frac{9}{8}$</p> <p>The equation of M is $y = -\frac{3}{4}x - \frac{9}{8}$</p>	<p>$B(3, 0)$</p> <p>$C\left(-\frac{3}{2}, 0\right)$</p> <p>$A\left(3, -\frac{27}{8}\right)$</p> <p>Method to find gradient of AC</p> <p>Full method to find an equation of M</p>	1 1 1 1 1 1 1

Question	Answer	Extra information	Marks
6.12	$3 + \frac{2(x+1)}{5} - x = 7 - (2+x)$ $\frac{2(x+1)}{5} - x = 4 - (2+x)$ $\frac{2(x+1)}{5} - x = 2 - x$ $\frac{2(x+1)}{5} = 2$ $2(x+1) = 10$ $x+1 = 5$ $x = 4$	<p>There are many different ways to simplify and collect like terms, so give 1 mark for each correct operation that goes towards simplifying, to a maximum of 3</p>	3
6.13	$\frac{a - \sqrt{bc}}{c^2 - b} = \frac{10 - \sqrt{(-18)(-2)}}{(-2)^2 - (-18)}$ $= \frac{10 - \sqrt{36}}{4 + 18}$ $= \frac{10 - 6}{22}$ $= \frac{4}{22}$ $= \frac{2}{11}$	<p>Square root of $(-18)(-2)$</p> <p>$c^2 = 4$</p> <p>$\frac{4}{22}$</p> <p>$\frac{2}{11}$</p>	1 1 1 1

OXFORD
REVISE