

# Oxford Revise | OCR Computer Science | Answers

## Chapter 24 Testing

Question	Answer	Extra information	Marks	AO / Specification reference
1	<p><b>Iterative testing:</b> means testing during program development. After an error is found and corrected it is repeatedly tested again until no error is found.</p> <p><b>Terminal/final testing:</b> means testing the program as a whole once all programming is complete. It is testing the program to make sure it is ready to give to users.</p>	<p>1 mark for each statement describing each type of testing. Up to 2 marks for each type of testing.</p>	<p>1</p> <p>1</p> <p>1</p> <p>1</p>	<p>AO1/AO2</p> <p>2.3.2</p>
2	<p>Testing a module takes less time than testing a whole program, making any errors easier to find.</p>	<p>1 mark for a correct statement.</p> <p>This answer is an example, other correct statements are also acceptable.</p>	<p>1</p>	<p>AO1</p> <p>2.3.2</p>

Question	Answer	Extra information	Marks	AO / Specification reference																								
3	<table border="1"> <thead> <tr> <th></th> <th colspan="3">Type of test data</th> </tr> <tr> <th>Test data</th> <th>Normal</th> <th>Boundary</th> <th>Erroneous</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>✓</td> <td>✓</td> <td></td> </tr> <tr> <td>500.78</td> <td></td> <td></td> <td>✓</td> </tr> <tr> <td>499</td> <td>✓</td> <td></td> <td></td> </tr> <tr> <td>Fifty</td> <td></td> <td></td> <td>✓</td> </tr> </tbody> </table>		Type of test data			Test data	Normal	Boundary	Erroneous	1	✓	✓		500.78			✓	499	✓			Fifty			✓	<p>1 mark for each correct row up to 4 marks.</p> <p>The shaded area is given in the question.</p>	<p>1</p> <p>1</p> <p>1</p> <p>1</p>	<p>AO2</p> <p>2.3.2</p>
	Type of test data																											
Test data	Normal	Boundary	Erroneous																									
1	✓	✓																										
500.78			✓																									
499	✓																											
Fifty			✓																									

Question	Answer	Extra information	Marks	AO / Specification reference															
4	<table border="1"> <thead> <tr> <th>Test data (number of tickets)</th> <th>Type of test</th> <th>Expected output</th> </tr> </thead> <tbody> <tr> <td>two</td> <td>Erroneous</td> <td>Rejected</td> </tr> <tr> <td>1</td> <td>Boundary</td> <td>Accepted</td> </tr> <tr> <td>3</td> <td>Normal</td> <td>Accepted</td> </tr> <tr> <td>6</td> <td>Invalid</td> <td>Rejected</td> </tr> </tbody> </table>	Test data (number of tickets)	Type of test	Expected output	two	Erroneous	Rejected	1	Boundary	Accepted	3	Normal	Accepted	6	Invalid	Rejected	<p>1 mark for each correct row up to 4 marks.</p> <p>The test data for row 2 can also be 5.</p> <p>The type of test data for row 3 can be boundary as long as the test data matches.</p> <p>If the type of test data for row 3 is normal, the test data must be from 1 to 5 inclusive.</p> <p>The test data for row 4 can be any value outside the valid range (for example more than 5).</p> <p>The shaded area is given in the question.</p>	<p>1</p> <p>1</p> <p>1</p> <p>1</p>	<p>AO2</p> <p>2.3.2</p>
Test data (number of tickets)	Type of test	Expected output																	
two	Erroneous	Rejected																	
1	Boundary	Accepted																	
3	Normal	Accepted																	
6	Invalid	Rejected																	